



WARRANTY INFORMATION

This warranty is provided by Total Tools (Importing) Pty Ltd of 20 Thackray Road, Port Melbourne VIC 3207. Phone: 03 9261 1900 (we, us, our).

Express Warranty

Subject to the exclusions set out below, we warrant that this product will be free from defects in materials or workmanship for 12 months from the date of purchase.

The benefits conferred by this warranty are in addition to all rights and remedies which you may be entitled to under the Australian Consumer Law, and any other statutory rights you may have under other applicable laws. This warranty does not exclude, restrict or modify any such rights or remedies.

Warranty exclusions

This express warranty does not apply where a defect or other issue with the product is caused by normal wear and tear, misuse or abuse of the product.

Consumer guarantees

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage.

You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Warranty claims

To make a claim under this warranty, you must bring the product along with the proof of purchase and any other documentary evidence which you think is relevant to the Total Tools' place of purchase where the claim will be handled on our behalf. Any cost incurred by you in bringing the product to the place of purchase will be borne by you.

To make a claim under this warranty, the product and proof of purchase must be returned to the Total Tools place of purchase during the warranty period specified above.

If your warranty claim is accepted, we (or the Total Tools store that handles the claim on our behalf) will, at our discretion, repair or replace the product, or refund money to you and take back the product.

DETROIT®

RECHARGEABLE LED WORKLIGHT

MODEL NO.: DET30WRELED, DET50WRELED



TO PREVENT SERIOUS INJURY, READ
AND UNDERSTAND ALL WARNINGS
AND INSTRUCTIONS BEFORE USE

DETROIT®

October 19, 2018 5:08 PM

OPERATING INSTRUCTIONS

TABLE OF CONTENT

SPECIFICATIONS 3

GENERAL SAFETY RULES FOR OPERATION 4

COMPONENT IDENTIFICATION..... 5

MAINTENANCE 5

PRODUCT LABEL..... 5

DETROIT WORKLIGHT SYSTEM 6

WARRANTY INFORMATION 8

CHARGER LABEL

SWITCHING POWER SUPPLY

MODEL NO. : LGSPS125350AU

INPUT: 100 - 240V ~ 50/60Hz 1.2A

OUTPUT: 12.5V - 3500mA







Made in China by LYGO

LYGO (Dongguan) Electronic Product Ltd.

XXXX

SWITCHING POWER SUPPLY

MODEL NO. : LGSPS120200AU

INPUT: 100 - 240V ~ 50/60Hz 1.2A

OUTPUT: 12V - 2000mA







Made in China by LYGO

LYGO (Dongguan) Electronic Product Ltd.

XXXX

ABOUT YOUR WORKLIGHT

Thank you for purchasing this DETROIT RECHARGEABLE LED WORKLIGHT. Your LED Worklight features a Dual Power System which can be powered through SAA approved supply cable or built-in rechargeable battery. It's ideal for indoor and outdoor use with IP65 rating, suitable for contractor, tradesman and DIY applications.

Please read and understand the content of this instruction manual before using this product.


SPECIFICATIONS			
MODEL	DET30WRELED		DET50WRELED
LUMENS	3000		5000
RATED POWER	30W		50W
MODULAR LED FLOOD LIGHT			
RATED VOLTAGE INPUT	12 VDC, 2.0A		12.5 VDC, 3.5A
BATTERY	18650 Li-ion 7.4 VDC 4400mAh		18650 Li-ion 7.4 VDC 6600mAh
USB OUTPUT	5 VDC 2.0A		5 VDC 2.0A
LED SOURCE	30W COB		50W COB
DIM SETTINGS	3000LM @ 100%		5000LM @ 100%
	1500LM @ 50%		2500LM @ 50%
	300LM @ 10%		500LM @ 10%
LED DRIVER			
RATED VOLTAGE	100-240 VAC		100-240 VAC
RATED POWER (TOTAL)	30W		50W
RATED OUTPUT	12 VDC 2.0A		12.5 VDC 3.5A
CLASSIFICATION	CLASS II, IP44		CLASS II, IP44
ADDITIONAL SPECS			
CHARGE TIME	3 Hrs		3 Hrs
OPERATING TIME	2 Hrs @ 100%		2 Hrs @ 100%
	5 Hrs @ 50%		4 Hrs @ 50%
	10 Hrs @ 10%		10 Hrs @ 10%
	6500K		6500K
CRI	>80		>80
SUPPLY CABLE	5M 2X1.0mm		5M 2X1.0mm
BEAM ANGLE	110°		110°
IP RATING	IP65		IP65
IK RATING	IK08		IK08
CLASSIFICATION	CLASS III		CLASS III
DIMENSIONS	230 x 240 x 95 mm		285 x 295 x 100 mm

GENERAL SAFETY RULES FOR OPERATION

Save all warnings and instructions for future reference.

- This product includes a power supply for recharging the internal lithium battery within the unit for Australia and meets the requirements of Australian Standards.
- The charger must be connected to a supply voltage that is equal to that stated on the rating label. If the charger becomes damaged it must be replaced with a charger of the same specifications and meets Australian standards.
- DO NOT ABUSE THE POWER SUPPLY. Never yank or pull on the power supply cord to disconnect it from the light or the mains supply socket. Keep the power supply from heat, oil, solvents and sharp edges. If the power supply becomes damaged it will need to be replaced by an identical charger with the same specifications.
- The light must be connected to a supply voltage that is equal to that stated on the rating label. If the mains connection plug or power cord becomes damaged, it must be safely discarded.
- Always follow the Australian requirements for connection to the mains supply. If in doubt, always consult a qualified electrician.
- DO NOT use if the light is damaged in any way as any damage can compromise the IP rating of the unit and may no longer be suitable in conditions it was designed to withstand.
- DO NOT use the light as a heater or dryer.
- Always charge the light from a mains socket that is indoors, do not charge outdoors. It is advised that you do not use extension cords, plug directly into the mains socket.
- The worklight housing may get hot during operation. Always adjust the angle of the lamp by the bracket prior to use.
- Do not look directly into the LED without protecting your eyes regardless of distance and period of time.
- Do not point LED light in the direction of other people, animals or other reflective surfaces.
- Do not use the light in areas where there is a risk of explosion or fire from combustible materials.
- Children and Pets should be kept out of the usage area. Children should not be allowed to touch or operate this LED light.
- All lights should be kept out of reach of children, preferably stored or locked in a secure cabinet or room when not in use.
- Do not disassemble the device or attempt to modify the light as this will void your warranty. No user serviceable parts included.

COMPONENT IDENTIFICATION



- A - ON/OFF and Dimming Switch
- B - USB Output for charging USB powered electrical devices such as your mobile phone
- C - Battery indicator Light
- D - DC Input for charging worklight battery
- E - Angle Adjustment Lock

MAINTENANCE

- Keep the worklight clean at all times. Use a soft lint-free cloth for the body and lens tissue for glass windows. Do not use abrasive cleaners or solvents.
- Don't expose the worklight to high temperatures or humidity.
- Store the worklight in a cool and dry place.

PRODUCT LABEL

